



viettrendtour.com

✓ Active

☆ Star

Free plan

Caching

Cache Rules

Specify which resources should be cached and for how long.

[📖 Cache Rules documentation](#)[← Back](#)

Edit Cache Rule

Rule name (required)

VTT_Caching

Give your rule a descriptive name.

If incoming requests match...

- ☐ **Custom filter expression**
Only apply the rule to requests matching the custom filter expression
- ☐ **All incoming requests**
Apply the rule to all requests

When incoming requests match...

Field

URI Full

Operator

contains

[Skip to content](#)

viettrendtour.com/*



Expression Preview

[Edit expression](#)

```
(http.request.full_uri contains "viettrendtour.com/*")
```

Then...

Cache eligibility (required)

Mark whether the request's response from origin is eligible for caching. Caching itself will still depend on the cache-control header and your other caching configurations. [Learn more](#)

- ☐ Bypass cache
- ☒ **Eligible for cache**

Edge TTL (optional) ×

Specify if and how long Cloudflare should cache the response, depending on if a cache-control header is present on the origin response.

[Learn more](#)

- ☐ Use cache-control header if present, bypass cache if not
- ☐ Use cache-control header if present, cache request with Cloudflare's default TTL for the response status if not
- ☒ **Ignore cache-control header and use this TTL**

Input time-to-live (TTL) (required)

1 day

**Status code TTL**

Specify how long Cloudflare should cache the response based on the status code from the origin.

[+ Add status code setting](#)

Browser TTL (optional) ×

Specify how long client browsers should cache the response. Cloudflare will not purge content cached on client browsers, so high

[Skip to content](#) TTLs may lead to stale content. [Learn more](#)

- ☐ Bypass cache
- ☒ **Respect origin TTL**



Cache key (optional)

[+ Add setting](#)

Define which components of the request are included or excluded from the cache key Cloudflare uses to store the response in cache.

[Learn more](#)

Serve stale content while revalidating (optional) ×

Define if Cloudflare should serve stale content while getting the latest content from the origin. [Learn more](#)

Do not serve stale content while updating

If on, Cloudflare will **not** serve stale content while getting the latest content from the origin.

☐

Respect strong ETags (optional)

[+ Add setting](#)

Specify whether or not Cloudflare should respect strong ETag (entity tag) headers. [Learn more](#)

Origin error page pass-through (optional)

[+ Add setting](#)

Define if Cloudflare should use error pages issued by the origin server in case of HTTP error status codes. [Learn more](#)

Place at

Select order:

Custom

Select which rule this will fire after:

VTT_Bypass Cache for Everything

[Skip to content](#)

Cancel

Save

